media-based assessments will become increasingly common in future large earthquakes world-wide.

2. Isoseismal intensities

Beginning in the immediate aftermath of the Bhuj earthquake, we compiled news accounts from traditional print media sources in the United States and India as well as internet-based sources. A summary of these reports, including their sources, is


| _ | _ |
|---------|---|
| ~ | 5 |
| ٥ | ぅ |
| _ | - |
| _ | 2 |
| | = |
| + | _ |
| _ | = |
| | 2 |
| (Cont |) |
| | |
| _ | _ |
|) | - |
| _ | ٠ |
| 7 | _ |
| _ | - |
| _ | - |
| _ | - |
| _ | - |
| _ | - |
| Tahle 1 | - |

| Source |
|----------|
| Report |
| MMI |
| Long. |
| Lat. |
| Location |


Table 1. (Continued)

| Location | Lat. | Long. | MM | Report | Source |
|---|--------------|-------------|-------------|---|----------------|
| Rohri, Sindh (Pakistan) | 27.410 | 68.570 | 8 | \Brief spell of earthquake" | The Dawn |
| Salem, Tamil Nadu | 11.390 | 78.120 | Ν | Not felt | ASC Report |
| Samakhiali, Gujarat | 23.329 | 70.587 | 6 | Water flooded salt pans | Times of India |
| Sanghar, Sindh (Pakistan) | 26.050 | 68.937 | 2}9 | Buildings damaged | The Dawn |
| Shikarpur, Sindh (Pakistan) | 27.965 | 68.635 | 8 | \Brief spell of earthquake" | The Dawn |
| Shillong, Meghalaya | 25.340 | 91.560 | æ | Felt | Sandhyanand |
| Sirohi, Rajasthan | 24.530 | 72.540 | 9 | Buildings cracked | The Hindu |
| Sukhpur, Gujarat | 23.232 | 009.69 | 11{12 | 10-yr old \flung into air" | The Asian Age |
| Sukkur, Sindh (Pakistan) | 27.693 | 68.845 | က | \Brief spell of earthquake" | The Dawn |
| Suraj Bari, Gujarat | 23.207 | 70.703 | 6}8 | Serious cracks in land bridge | Times of India |
| Surat, Gujarat | 21.193 | 72.822 | 7{8 | A3(crac)28landDa | |
| Gujarat910326(261807)-3072(748703)73480 (Pakistan) | 48703)73480{ | .41029621D(| dama)2les3: | {.41029621D(dama)2les33ogs dat99307lsps | |
| (Pakistan) | | | | | |





67°



28° -

24° –

20° -

16° -

12° -

68° 72° 76° 80° 84° 88° 92°

with which the ground motions from past and future large intracratonic earthquakes can be better understood.

Acknowledgments

We thank Kali Wallace and Martitia Tuttle for helpful comments and suggestions that greatly improved the manuscript; maps were generated using GMT software (Wessel and Smith 1991). Research by S. Martin was supported by the Southern California Earthquake Center. SCEC is funded by NSF Cooperative Agreement EAR-8920136 and USGS Cooperative Agreements 14-08-0001-A0899 and 1434-HQ-97AG01718.

References

Ambraseys N and Bilham R 2000 A note on the Kangra $M_s = 7.8$ earthquake of 4 April 1905; Current Science **79** 101{106

Atkinson G M 2001 Linking historical intensity observations with ground motion relations for eastern north America; *Seism. Res. Lett.* (submitted)